

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from humans, domestic animals, and pets. Keep away from feed or foodstuffs. Wear waterproof gloves when handling bait or retrieving carcasses. Wash thoroughly with soap and water after handling bait.

**ENVIRONMENTAL HAZARDS**

This product is toxic to mammals, birds, and fish. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment, washwater or rinsate.

**ENDANGERED SPECIES CONSIDERATIONS**

**NOTICE:** It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. Before applying this product, applicators must obtain information regarding the occurrence of endangered species and use instructions for this product. You may call EPA's "Endangered Species Hotline" at 1-800-447-3813 to obtain an "Interim Measures" pamphlet for your county. You may also consult your local agricultural extension office or state pesticide lead agency to determine if there are any requirements for use of this product.

Before using this pesticide on range and/or pasture land in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Agricultural Commissioners Office. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

CALIFORNIA: Fresno, Inyo, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, and Tulare.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Carefully sweep up and dispose of any spillage as in the "PESTICIDE DISPOSAL".

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste facility.

**CONTAINER DISPOSAL:** Nonrefillable container  
DO NOT REUSE OR REFILL CONTAINER

Offer for recycling if available.

**WILCO DISTRIBUTORS, INC.**

P. O. BOX 291 - LOMPOC CA 93438

PHONE 805-735-2478

EPA Reg. No. 36029-23

EPA ESTB. NO. 36029-CA-01

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**RESTRICTED USE PESTICIDE  
Due to Hazard to Non-target Species**

For Retail sale to and use Only by certified Applicators or Persons under their Direct Supervision and Only for those Uses Covered by the certified Applicator's Certification.



**Gopher Getter  
TYPE 2  
AG BAIT  
by  
WILCO**

For subsurface application use only in crop and noncrop areas to control pocket gophers

**Active Ingredients:**

Diphacinone (CAS# 82666) .....	0.005%
Other Ingredients .....	99.995%
Total .....	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
FIRST AID**

Have label with you when obtaining treatment advice.

If swallowed:	<ul style="list-style-type: none"> <li>• Call a poison control center, doctor, or 1-800-856-7378 immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
---------------	--

The National Pesticide Telecommunications Network (NPTN) answers questions on medical emergencies, pesticide incidents, and health concerns.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Contains diphacinone, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans, dogs, or other animals that have ingested this product or have obvious poisoning symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 intramuscularly or orally. Check prothrombin time until values return to normal.

**KEEP AWAY FROM FOODSTUFFS**

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NET WT.**

<input type="checkbox"/>	1 LBS	5 LBS	<input type="checkbox"/>
<input type="checkbox"/>	25 LBS	50 LBS	<input type="checkbox"/>

70073

**DIRECTIONS FOR USE**

It is a violation of Federal laws to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

**USE RESTRICTIONS:** Use this product only to control pocket gophers species (Thomomys spp. and Geomys spp.) in crop and non-crop areas. Subsoil application only. Do not apply bait by any method not specified on this label. Wear gloves when handling bait.

Do not apply this product by any method not specified on this label. This product may not be broadcast. Wear waterproof gloves when applying this product. With deluge and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding, or transferring foods or feed.

**APPLICATION DIRECTIONS:**

**A. HAND APPLICATION**

**Location of Runways:** To locate gopher's natural runway, probe about 6" to 8" inches from an active mound beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, the probe from a Probe 'n Runnel kit, a Gopher Bait Applicator bait dispensing probe, or a Gopher Getter Midget bait-dispensing probe, or other suitable implement, probe 8" to 10" inches below the soil level. Resistance on probe will decrease when runway is entered.

**APPLICATION DIRECTIONS:**

**1. GOPHER BAIT APPLICATOR METHOD:** Turn hand probe unit upside down to attach or remove bait bottle which screws into the dispenser. The 1-lb. container for Gopher Getter Type 2 Ag Bait by Wilco may be screwed directly into the dispenser. Otherwise, add the amount of bait needed to the bottle that comes with the Gopher Bait Applicator and screw the bottle into the dispenser. Using probe and, probe around mounds to locate runways (see "Locating runways" above.) Lift handle three times to deposit bait in each active runway. Pick up or bury any spilled bait immediately. Makes 2-7 bait sets per burrow system, depending upon the systems apparent length. For best results, this bait must be placed in the gophers' active runway for four (4) consecutive days or until activity ceases.

**2. HAND AND PROBE 'N FUNNEL METHOD:** Enlarge probe hole (if necessary) to accommodate baiting. Use gloves and a scooping device (preferably long-handled) to transfer the bait from container to the bait applicator. Insert one-half cup bait in to each active runway through probe opening or through the funnel, if using the Probe 'n Runnel kit. Take care not to spill bait on the surface. Pick up any spilled bait immediately. Makes 2-7 bait sets per burrow system, depending upon the systems apparent length. For best results, this bait must be placed in the gophers' active runway for four (4) consecutive days or until activity ceases.

**3. GOPHER GETTER MIDGET:** Remove cap from built-in bait reservoir and fill with bait. Replace and tighten cap. Using probe, probe around mounds to locate runways. To deposit bait in each active runway, turn crank six full turns, stopping back at the dose position. For best results, this bait must be placed in the gophers' active runway for four (4) days in a row or until activity ceases.


**CLOSING RUNWAYS -** After bait has been applied, cover probe opening with sod or dirt. Do not permit dirt to sift in or cover bait.

**B. BURROW BUILDERS APPLICATION:** The burrow builder constructs an artificial underground burrow and automatically places the poison in a single operation. A couler disc opens the way for a subsoiler shank. At the bottom of the shank is a "torpedo" or perforated tube. The torpedo cuts the artificial burrow. Bait is dropped in great quantities from a container through a tube into the burrow through an outlet in rear underside of the torpedo. Close-set rubber fins behind the subsoiler shank close the cut above the burrow.

The torpedo is adjustable to the depth of natural pocket gopher runways. Soil should always be damp enough to hold formed tunnel. Artificial burrows are cut at 20 to 25 foot intervals, interconnecting and connecting natural runways, as shown by the treatment program. The pocket gopher's curiosity and laziness leads him to the bait. Apply at rates of 3-5 lbs per acre.

**POST-APPLICATION DIRECTIONS:**

Using waterproof gloves, collect and burn (where permitted) or bury all visible dead animals. Dispose of leftover bait according to "Pesticide Disposal".



Treatment indicated by lines.