

GOPHER GETTER TYPE 2 BAIT



Product	Part #	Case Qty
Wilco Gopher Getter Type 2 Bait 1 lb.	21016	12
Wilco Gopher Getter Type 2 Bait 5 lbs.	21005	6
Wilco Gopher Getter Type 2 Bait 25 lbs.	21025	1
Wilco Gopher Getter Type 2 Bait 50 lbs.	21050	1

GOPHER GETTER TYPE 2 BAIT BY WILCO

- **HOMEOWNER USE PESTICIDE. NO PERMIT AND/OR LICENSE IS REQUIRED.**
- **MILO GRAIN FORMULA TO CONTROL POCKET GOPHERS.**
- **ACTIVE INGREDIENT: .005% DIPHACINONE.**
- **EMULATES THE RODENT'S NATURAL FOOD SOURCE. HIGH PALATABILITY.**
- **BAIT DISPENSED SUBSOIL.**
- **AVAILABLE IN 1 LB, 5 LBS, 25 LBS, AND 50 LBS.**

OTHER RELATED PRODUCTS: Gopher Getter Type 2 AG Bait (Restricted Use Product. Permit and/or license required), Wilco Zinc Homeowner Bait, Wilco Probe n' Funnel, Wilco Gopher Getter Midget Probe (includes 1 lb jar of bait, Wilco Gopher Bait Applicator (includes 1 lb. jar of bait), Wilco Trape for Gophers, Wilco Box Trap.



	<p>FOR USE TO CONTROL POCKET GOPHERS</p>		<p>HOMEOWNER USE NO PERMIT AND/OR LICENSE REQUIRED.</p> <p>AVAILABLE IN 1 LB, 5 LBS, 25 LBS, AND 50 LBS.</p>
---	---	---	--

GOPHER GETTER TYPE 2 BAIT BY WILCO (FOR POCKET GOPHERS)

THIS PRODUCT MAY ONLY BE USED TO CONTROL POCKET GOPHERS IN MANUAL, BELOW-GROUND APPLICATIONS.

ACTIVE INGREDIENT: DIPHACINONE005%
INERT INGREDIENTS: 99.995.0%
TOTAL 100.00%

DIRECTIONS FOR USE:

It is a violation of Federal laws to use this product in a manner inconsistent with its label.

READ THIS LABEL: Read this entire label and follow all use directions. Use only for the sites, pests, and application directions described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in locations out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and non-target wildlife.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.



USE RESTRICTIONS:

For control only of Pocket Gophers (*Geomys* sp. and *Thomomys* sp.) in and bordering crops (alfalfa, forage, hay, vegetables and grains);

rangeland, orchards; and non-crop areas (forestry, plantations, golf courses, lawns and other turf areas, levee/ditch banks, nurseries, parks and around agricultural buildings). This product may only be applied at the use sites and by the application methods indicated on this label. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait above ground; bait must be applied directly into pocket gopher's burrow systems. Remove or bury any bait spilled on the ground during application.

Only for use in residential lawns and gardens in California

APPLICATION DIRECTIONS:

METHOD 1: Use a pointed metal rod to probe for the main burrow. The probe will "give" when the burrow is penetrated. Remove the probe. Insert a funnel into the hole. Apply 1/2 cup Gopher Getter Type 2 Bait by Wilco into the burrow. Carefully plug the hole with leaves, grass or similar material to prevent light from entering and soil from covering the bait. Make 2-3 applications per burrow system. Repeat treatment if fresh mounds appear after 2-3 weeks.

SELECTION OF TREATMENT AREAS:

Pocket gophers throw out low, fan-shaped mounds of earth from their underground tunnels. The tunnel entrance is plugged with soil and is found near one edge of the mound. The mounds are usually at the end of short lateral tunnels which connect with the main burrow system. The main burrow is typically about 18 inches from the mound and within 10 inches of the surface. A single gopher burrow system will be about 50 feet in diameter.

METHOD 2: Using a long-handled teaspoon, remove the plug from the mound. Carefully deposit 1/2 cup of Gopher Getter Type 2 Bait by Wilco as far as possible into the burrow. Close the opening with soil, being careful not to cover the bait. Treat again if fresh mounds appear after 2-3 weeks.

METHOD 3: If using the Sub-Station (underground bait station) place 1 lb. of bait in the station. Align the openings of the station with the tunnel system, then cover the station with dirt. Add bait to the station as necessary.

METHOD 4: When using a hand probe applicator, such as the "WILCO GOPHER GETTER MIDGET" insert the tip into the burrow system, making certain to penetrate the tunnel. Follow the directions on the applicator and dispense 1/2 cup of bait into the gopher burrow. Remove the probe and close the remaining hole by placing a sod plug over it or kicking the opening closed. Treat again if fresh mounds appear after 2-3 weeks.

FOLLOW-UP: Wearing water-proof gloves, collect and dispose of all dead animals and leftover bait properly. Clean all application equipment thoroughly with hotwater and detergent. Do not use application equipment to handle or transfer human food.



NOTICE OF WARRANTY NOTICE: To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

FIRST AID

Have label with you when obtaining treatment advice.

IF SWALLOWED:

- Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor immediately for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor immediately for treatment advice.



GOPHER BAIT
(READY TO USE)

ENVIRONMENTAL HAZARDS

[PRODUCTS GREATER THAN 1 LB]

This product is extremely toxic to mammals, birds and fish. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

PRODUCTS 1 LB OR LESS]

This product is extremely toxic to mammals, birds and fish. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water or rinsate.

REGISTERED IN STATES BELOW:

ARIZONA, CALIFORNIA, NEBRASKA, NEVADA, OREGON, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, WYOMING.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. The use of this product may pose a hazard to Federally designated.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Contains the anticoagulant Diphacinone. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give vitamin K1 intramuscularly or orally.