



Product	Part #	Case Qty
Wilco Zinc Homeowner Bait 1 lb.	60016	12

WILCO ZINC HOMEOWNER BAIT

- · HOMEOWNER USE PESTICIDE. NO PERMIT AND/OR LICENSE IS REQUIRED.
- · WHEAT FORMULA TO CONTROL POCKET GOPHERS.
- · ACTIVE INGREDIENT: 2% ZINC PHOSPHIDE.
- EMULATES THE RODENT'S NATURAL FOOD SOURCE.
- · BAIT TO BE DISPENSED SUBSOIL.
- · HIGH PALATABILITY.
- · AVAILABLE IN 1 LB. JAR.

OTHER RELATED PRODUCTS: Wilco Zinc AG Bait (Restricted Use product. Permit and/or license is required), Wilco Probe n' Funnel, Wilco Gopher Getter Midget Probe (includes 1 lb. jar of bait), Wilco Gopher Bait Applicator (includes 1 lb. jar of bait), 3-PT Hitch Machine (artificial burrow builder).

WILCO DISTRIBUTORS, INC. PRESENTS

WILCO ZINC HOMEOWNER BAIT







FOR USE TO CONTROL POCKET GOPHERS



HOMEOWNER USE

NO PERMIT AND/OR LICENSE REQUIRED.

AVAILABLE IN 1 LB.



WILCO ZINC HOMEOWNER BAIT (FOR POCKET GOPHERS)

INTENDED FOR RESIDENTIAL USE THIS PRODUCT MAY ONLY BE USED FOR THE CONTROL OF POCKET GOPHERS IN MANUAL, BELOW GROUND APPLICATIONS

ACTIVE INGREDIENT: ZINC PHOSPHIDE	2.0%
INERT INGREDIENTS:	98.0%
TOTAL	100.0%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent

READ THIS LABEL: Read this entire label and follow all use directions, restrictions and use precautions. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.



USE RESTRICTIONS:

This product may only be applied against the pests listed on this label, and by the application methods listed on this label. This product may only be used to control pocket gophers in manual, below-ground applications in lawns. Bait must be applied directly into burrow or tunnel systems. Do not apply in gardens and areas where food or feed may become contaminated. Any person who retrieves carcasses or used bait following application of this product must wear waterproof gloves. Not to be sold in individual containers containing more than 1 lb. of product.

APPLICATION DIRECTIONS FOR POCKET GOPHERS

Apply bait to control pocket gophers using one of the two methods outlined below:



PLUG REMOVAL BAITING:

Burrowing pocket gophers (thomomys spp. and Geomys spp.) throw out low, fan shaped mounds on either side of their underground tunnel.

These lateral tunnels coming to the

surface are on the flat side of the fan and are plugged with soil. Using a long-handled spoon, carefully remove the plug. Insert one teaspoon of bait as far down as possible. Reclose opening, being careful not to cover bait with soil.

MAIN RUNWAY BAITING: To locate main runways, probe about 6 to 8 inches away from mounds by use of an iron bar, a strong stick, or other suitable implement. Resistance on probe will drop suddenly and probe will fall about two inches when main runway is entered. Carefully enlarge the opening to accomodate insertion of the bait. Insert one teaspoon of bait into each active tunnel. Carefully close the hole with a stone, sod, or soil, Take care not to cover bait with soil.

FOLLOW UP

Wearing waterproof gloves, collect and dispose of all dead, exposed animals and of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoons. Do not use spoons for mixing, holding or transferring food or feed. If re-infestation does occur, repeat treatment.



NOTICE OF WARRANTY NOTICE: To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the patient. Do not administer anything by mouth. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Remove person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, or doctor immediately for treatment advice.

TREATMENT FOR PET POISONING:

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN:

Contains the phosphine-producing active, Zinc Phosphide.

Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harm if swallowed. Harmful if adsorbed through the skin or inhaled. Avoid contact with eyes. Avoid breathing dust. Wear long-sleeved shirt and long pants, shoes plus socks and waterproof gloves. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

REGISTERED IN STATES BELOW:

ARKANSAS, ARIZONA,
CALIFORNIA, COLORADO, IDAHO, IOWA,
KANSAS, LOUISIANA, MINNESOTA,
MISSOURI, MONTANA, NEBRASKA,
NEW MEXICO, NEVADA, NORTH DAKOTA,
OKLAHOMA, OREGON, SOUTH DAKOTA,
TEXAS, UTAH, WASHINGTON, WYOMING.

STORAGE AND DISPOSAL STORAGE:

Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.